


FORM PTO-1390 (REV. 12-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER I/99486. US	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 10/070285 TO BE ASSIGNED	
INTERNATIONAL APPLICATION NO. PCT/EP00/08944		INTERNATIONAL FILING DATE 9/11/2000		PRIORITY DATE CLAIMED 9/10/99	
TITLE OF INVENTION Equine herpes virus temperature sensitive mutant and live vaccine thereof					
APPLICANT(S) FOR DO/EO/US PATEL, Jay R					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<p>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under <u>35 U.S.C. 371</u>.</p> <p>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</p> <p>3. <input type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below.</p> <p>4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31).</p> <p>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))</p> <p>a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input checked="" type="checkbox"/> has been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</p> <p>6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).</p> <p>a. <input type="checkbox"/> is attached hereto.</p> <p>b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4).</p> <p>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))</p> <p>a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau).</p> <p>b. <input type="checkbox"/> have been communicated by the International Bureau.</p> <p>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</p> <p>d. <input checked="" type="checkbox"/> have not been made and will not be made.</p> <p>8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).</p> <p>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</p> <p>10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</p> <p>Items 11 to 20 below concern document(s) or information included:</p> <p>11. <input checked="" type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.</p> <p>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.</p> <p>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.</p> <p>14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.</p> <p>15. <input type="checkbox"/> A substitute specification.</p> <p>16. <input type="checkbox"/> A change of power of attorney and/or address letter.</p> <p>17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.</p> <p>18. <input checked="" type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4).</p> <p>19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).</p> <p>20. <input type="checkbox"/> Other items or information:</p>					

U.S. APPLICATION NO. (if known) 10/070285 INTERNATIONAL APPLICATION NO. PCT/EP09/08944		ATTORNEY'S DOCKET NUMBER I/99486 US		
21. <input type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO..... \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =		CALCULATIONS PTO USE ONLY <div style="display: flex; justify-content: space-between;"> \$ 740.00 </div>		
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).		<div style="display: flex; justify-content: space-between;"> \$ </div>		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total claims	17 - 20 =	0	x \$18.00	
Independent claims	2 - 3 =	0	x \$84.00	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	
TOTAL OF ABOVE CALCULATIONS			= \$	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.			+	
SUBTOTAL			= \$	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).			\$	
TOTAL NATIONAL FEE			= \$	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +			\$ 40.00	
TOTAL FEES ENCLOSED			= \$	
			Amount to be refunded:	\$
			charged:	\$ 780-
a. <input type="checkbox"/> A check in the amount of \$ _____ to cover the above fees is enclosed. b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. <u>02-2334</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>02-2334</u> . A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.				
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137 (a) or (b)) must be filed and granted to restore the application to pending status. SEND ALL CORRESPONDENCE TO:				
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="text-align: center;">  SIGNATURE NAME </div> <div style="text-align: center;"> <u>44295</u> REGISTRATION NUMBER </div> </div>				

9 19915 02 000 07303032
JC19 Rec'd PCT/PTO 05 MAR 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:
PATEL, Jay R.

Serial Number: To be assigned Group Art Unit: To be assigned

Filed: concurrently herewith Examiner: To be assigned

For: EQUINE HERPES VIRUS TEMPERATURE SENSITIVE MUTANT AND
 LIVE VACCINE THEREOF

Corresponding to: PCT/EP00/08944, filed September 11, 2000

PRELIMINARY AMENDMENT

Assistant Commissioner of Patents
Washington, D.C. 20231

March 5, 2002

Sir:

Prior to the calculation of the fee in the above-identified application, please make the following amendments:

I hereby certify that this correspondence
is being deposited with the United States
Postal Service as first class mail in an
envelope addressed to: Assistant
Commissioner of Patents, Washington, D.C.
20231 on 3/5/02
Date Of Deposit

William P. Ramey III
Registration No. 44,295

Signature

3/05/02
Date

EXPRESS MAIL EL400659329US

I. In the Claims (Clean Sheet)

1. A process for the production of a temperature sensitive(ts) Equine abortion virus comprising the steps:
 infecting a cell culture with an Equine abortion virus;

 treating the cell culture at about 34°C with a non-toxic mutagen; and,

 harvesting an Equine abortion virus mutant from the cell culture.
2. The process of Claim 1 wherein the Equine abortion virus is EHV-1 strain deposited at the ECACC under provisional Accession No. 99061001, or progeny thereof.
3. The process of Claim 1 wherein the cell culture is treated during viral replication.
4. The process of Claim 1 wherein the mutagen is selected from the group consisting of 5-bromo-2-deoxyuridine, azacytidine, and the like.
5. The process of Claim 1 further comprising incubating the culture.
6. The process of Claim 1 further comprising cloning the culture.
7. The process of Claim 1 wherein the temperature sensitive mutant is sensitive at a temperature above 38.5°C.
8. The process of Claim 1 wherein the temperature sensitive mutant is sensitive at a temperature between 38.5 to 39.0°C.

9. A pharmaceutical composition comprising the temperature sensitive mutant of Claim 1 and a pharmaceutically acceptable carrier or diluent.

10. A vaccine for the prevention and/or treatment of equine abortion virus infections equidae comprising a temperature sensitive mutant virus and a pharmaceutically acceptable carrier or diluent.

11. The vaccine of Claim 10 wherein the temperature sensitive mutant is EHV-1 mutant.

12. The vaccine of Claim 10 wherein the temperature sensitive mutant is temperature sensitive at a temperature above 38.5°C.

13. The vaccine of Claim 10 wherein the temperature sensitive mutant is the EHV-1 (ts) mutant deposit under Accession No. 99061001 at the ECACC, or a closely related strain thereof.

14. A method for the prevention and or treatment of Equine abortion virus comprising the steps:

administering to an equidae a vaccine according to Claim 10.

15. The method of Claim 14 wherein the vaccine is administered intranasally.

16. The vaccine of Claim 10 wherein the vaccine further provides prevention and or treatment of EHV-4 infections.

17. The vaccine of Claim 10 wherein the vaccine is live.

8. The process of Claim 1 wherein the temperature sensitive mutant is sensitive at a temperature between 38.5 to 39.0°C.

9. A pharmaceutical composition comprising the temperature sensitive mutant of Claim 1 and a pharmaceutically acceptable carrier or diluent.

10. A vaccine for the prevention and/or treatment of equine abortion virus infections equidae comprising a temperature sensitive mutant virus and a pharmaceutically acceptable carrier or diluent.

11. The vaccine of Claim 10 wherein the temperature sensitive mutant is EHV-1 mutant.

12. The vaccine of Claim 10 wherein the temperature sensitive mutant is temperature sensitive at a temperature above 38.5°C.

13. The vaccine of Claim 10 wherein the temperature sensitive mutant is the EHV-1 (ts) mutant deposit under Accession No. 99061001 at the ECACC, or a closely related strain thereof.

14. A method for the prevention and or treatment of Equine abortion virus comprising the steps:

administering to an equidae a vaccine according to Claim 10.

15. The method of Claim 14 wherein the vaccine is administered intranasally.

16. The vaccine of Claim 10 wherein the vaccine further provides prevention and or treatment of EHV-4 infections.

17. The vaccine of Claim 10 wherein the vaccine is live.- -

III. In the Specification (Clean Sheet)

(Page 1, lines 3-5)

Field of the Invention

The present invention relates to an equine abortion virus mutant, a process for the preparation of said mutant, use of said mutant and live vaccines derived from said mutant.

(Page 1, lines 6-18)

Background of the Invention

Equine abortion virus (EHV-1), a herpes virus, is a major equine pathogen responsible for viral-induced abortion, neurological disease such as paresis, infections of the upper respiratory tract, and neonatal foal disease (NFD). NFD results from close to term transplacental infection of fetuses, which are born weak with severe respiratory disease and some with jaundice due to liver infection by EHV-1. These animals usually die within a few days after birth. Equine rhinopneumonitis virus (EHV-4) is the major cause of acute respiratory tract disease ("rhinopneumonitis") and infects most horses during their first two years of life. Rhinopneumonitis is characterized by fever, anorexia, and profuse serous nasal discharge that later becomes mucopurulent. On rare occasions EHV4 infection causes abortion in pregnant mares. Furthermore EHV1 and EHV4 establish persistent, lifelong latent infections.

Upon reactivation the viruses cause recurrent disease, accompanied by virus shedding and transmission to other animals.

(Page 1, lines 27)

Summary of the Invention

The present invention provides for such vaccines.

(Page 2, lines 15-21)

Detailed Description

For the purpose of this invention, a temperature sensitive mutant is defined as a mutant virus which has an impaired growth at or above a certain temperature at which the wild type has a normal growth. The EHV-1 ts mutants according to the present invention are characterized in that they are temperature sensitive at the body temperature of the host animal. The EHV-1 ts mutants of the present invention do not replicate above a temperature of 38.5 to 39.0°C. Preferably the EHV-1 ts mutants according to the invention do not replicate at a temperature of 38.5°C.

Please insert "Field of the Invention", as a new line,
at line 3, page 1.

Please insert "Background of the Invention", as a new line, at line 6 of page 1.

Please insert "Summary of the Invention", as a new line,
at line 27 of page 1.


Please insert "Detailed Description", as a new line, at line 15 of page 2.-

V. Remarks

Pursuant to 35 USC § 371, applicant is filing herewith the National Fee provided in § 41(a), a copy of the International Application, an Oath or Declaration of the Inventor, an Assignment, a Preliminary Amendment, an Information Disclosure Statement, PTO Form 1449 and search report with cited references. Applicant respectfully requests entry into the National Stage by recording this application appropriate status and entry of the preliminary amendment.

In the event any fees are required with this paper, please charge our Deposit Account No. 02-2334.

Respectfully submitted,


 William P. Ramey III
 Patent Counsel
 Registration No. 44,295

Attorney Docket NO. I-99486 US

Intervet Inc Patent Department
 Akzo Nobel
 405 State Street
 P.O. Box 318
 Millsboro, DE 19966
 Tel: (302) 933-4034
 Fax: (302) 933-4013

WPR:kmm

EQUINE HERPES VIRUS TEMPERATURE SENSITIVE MUTANT AND LIVE VACCINE THEREOF

The present invention relates to an equine abortion virus mutant, a process for the preparation of said mutant, use of said mutant and live vaccines derived from
5 said mutant.

Equine abortion virus (EHV-1), a herpes virus, is a major equine pathogen responsible for viral-induced abortion, neurological disease such as paresis, infections of the upper respiratory tract, and neonatal foal disease (NFD). NFD results from close to term transplacental infection of fetuses, which are born weak
10 with severe respiratory disease and some with jaundice due to liver infection by EHV-1. These animals usually die within a few days after birth. Equine rhinopneumonitis virus (EHV-4) is the major cause of acute respiratory tract disease ("rhinopneumonitis") and infects most horses during their first two years of life. Rhinopneumonitis is characterized by fever, anorexia, and profuse serous nasal
15 discharge that later becomes mucopurulent. On rare occasions EHV4 infection causes abortion in pregnant mares. Furthermore EHV1 and EHV4 establish persistent, lifelong latent infections. Upon reactivation the viruses cause recurrent disease, accompanied by virus shedding and transmission to other animals.

Control of equine herpes virus infection and their diseases remain
20 inadequate, in particular against EHV1 mediated abortions, paresis and neonatal foal disease resulting from close to term transplacental infection of foetus. Although inactivated as well as modified live vaccines are available, neither vaccine appears to block infection sufficiently, nor do they prevent the establishment of latency by wild-type virus. Hence there is a great need for safe vaccines with improved protection
25 against field infections of these viruses, particularly against infections caused by EHV1.

The present invention provides for such vaccines.

In a first aspect the present invention provides for an EHV-1 Ts mutant as deposited at the European Collection of Animal Cell Culture (ECACC), Salisbury,
30 Wiltshire SP4 0JG, UK on 10 June 1999 under accession number V99061001, and progeny thereof.

The EHV-1 Ts mutants according to the invention are furthermore phenotypically characterized in that

- they form small plaques when grown on several horse cell lines,
- they have lost their ability to grow on rabbit kidney cells, in particular RK13 cells,
- 5 and
- they are limited in their ability to cause viraemia (that is, they are able to ;

The EHV-1 Ts mutants according to the invention have the advantage that replication is restricted to the upper respiratory tract of conventional equidae with no or limited ensuing viraemia. The Ts mutants are safe for pregnant mares while giving
10 rise to significant immune stimulation following growth in the upper respiratory tract. The Ts mutants are not readily back-passaged form animal to animal thus limited in their potential for transmission and reversion.

For the purpose of this invention "progeny" is defined to include also all strains obtained by further serial passage of the deposited EHV-1 Ts mutant.

15 For the purpose of this invention, a temperature sensitive mutant is defined as a mutant virus which has an impaired growth at or above a certain temperature at which the wild type has a normal growth. The EHV-1 Ts mutants according to the present invention are characterized in that they are temperature sensitive at the body temperature of the host animal. The EHV-1 Ts mutants of the present invention do
20 not replicate above a temperature of 38.5 to 39.0°C. Preferably the EHV-1 Ts mutants according to the invention do not replicate at a temperature of 38.5°C.

For the purpose of this invention, small plaques are defined as plaques that are at least half to one third the size of the plaques formed by the wild-type parent strain in equine cells.

25 For the purpose of this invention the "limited ability to cause viraemia" is defined as the ability to cause no or low grade (that is, just detectable) viraemia for 1 to 3 or 4 days in some animals with respect to the ability of the parent strain to cause viraemia.

30 Temperature sensitive EHV-1 mutants according to the invention can be obtained by treatment of infected bovine, equine or other permissive cell cultures at 34°C with non-toxic concentrations of a mutagens such as 5-bromo-2-deoxy uridine, azacytidine and the like during viral replication in vitro, followed by biological cloning of progeny virus from said treated cultures in bovine or equine or other permissive cell lines.

The favorable properties of the Ts-mutants according to the invention makes them very suitable for use in the preparation of a vaccine. Thus, in a second aspect the present invention provides for a composition, in particular a vaccine composition, comprising an EHV-1 Ts-mutant according to the invention, and a pharmaceutically acceptable carrier or vehicle. More specifically, a (vaccine) composition according to the invention comprises the EHV1 Ts-mutant deposited at the ECACC, Salisbury, UK having accession number V99061001 and/or progeny thereof. Pharmaceutical acceptable carriers or vehicles that are suitable for use in a vaccine according to the invention are sterile water, saline, aqueous buffers such as PBS and the like. In addition a vaccine according to the invention may comprise other additives such as adjuvants, stabilizers, anti-oxidants and others.

The vaccine compositions according to the invention are safe and can be used to protect the equidae clinically and virologically against infections with EHV-1 and to protect against virus-induced abortions and paresis. In addition the vaccine according to the invention was found to stop trans-placental infection, thus protecting the newborn foal from the effects of neonatal foal disease. The vaccine composition according to the present invention can be administered not only to horses but also to other animals that are susceptible to EHV-1 infection such as donkeys, zebra's and the like. Cattle which have been reported to be susceptible to EHV-1 and EHV-4 infection can also be treated with the vaccine according to the invention.

It was furthermore surprisingly found that vaccines comprising an EHV-1 Ts-mutant according to the invention not only protect against EHV-1 infections but also against the disease and the associated virus shedding following EHV-4 infection. Thus such a vaccine can be useful to obtain cross-protection in the vaccinated equidae. Said vaccines give rise to improved protection thus effectively blocking infection with wild-type viruses.

Vaccine compositions according to the invention can be prepared following standard procedures. A vaccine according to the invention preferably is a live vaccine. For the preparation of the live vaccine, the seed virus of the EHV-Ts mutant can be grown on a cell culture, such as primary or secondary bovine kidney or equine cells. The viruses thus grown can be harvested by collecting the tissue cell culture fluids and/or cells. Optionally, during harvesting the yield of the viruses can be promoted by techniques that improve the liberation of the infective particles from the growth substrate, e.g. sonication. The live vaccine may be prepared in the form

of a suspension or may be lyophilized.

Pharmaceutical acceptable carriers that are suitable for use in a vaccine according to the invention are sterile water, saline, aqueous buffers such as PBS and the like. In addition a vaccine according to the invention may comprise other additives such as adjuvants, stabilizers, anti-oxidants and others.

Suitable stabilizers are for example carbohydrates including sorbitol, mannitol, starch, sucrose, dextran and glucose, proteins and degradation products thereof including but not limited to albumin and casein, protein-containing agents such as bovine serum or skimmed milk, and buffers including but not limited to alkali metal phosphates. In lyophilized vaccine compositions it is preferable to add one or more stabilizers.

Suitable adjuvants include but are not limited to aluminum hydroxide, phosphate or oxide, amphigen, tocopherols, monophosphoryl lipid A, muramyl dipeptide, oil emulsions, glucans, carbomers, block-copolymers, cytokines and saponins such as Quil A. The amount of adjuvant added depends on the nature of the adjuvant itself.

EHV-1 Ts mutants according to the invention are preferably administered to conventional, seronegative animals varying in ages from a few days to several years, including those in-foal. The vaccine can be administered to the animals via non-parenterally administration routes, including but not limited to intradermal, oral, spraying, aerosol, intra-ocular, and intranasal administration. Alternatively, the vaccine can be administered via parenteral administration routes. Preferably the vaccine is administered intradermally or intranasally.

In general the EHV-1 Ts mutant virus is administered in an amount that is effective to induce protection against EHV-1 infection. The dose generally will depend on the route of administration, the time of administration, as well as age, health and diet of the animal to be vaccinated. The virus can be administered in an amount between 10^2 and 10^9 pfu/dose per animal, preferably between 10^3 and 10^5 pfu/dose and more preferably at 10^4 pfu/dose per animal.

The vaccines according to the invention also may be given simultaneously or concomitantly with other live or inactivated vaccines. These additional vaccines can be administered non-parenterally or parenterally. Preferably the additional vaccines are recommended for parenteral administration.

EXAMPLES

1. Isolation and characterization of a temperature sensitive EHV-1 mutant strain TS C147

Just confluent, day-old 75 cm² monolayers of equine dermal (ED) cells were infected at m.o.i. of 0.001 with EHV-1. Inoculum (2.0 ml) was adsorbed (1 hour, 37°C), removed and monolayers were washed with PBS and then re-fed with tissue culture medium (25 ml) containing 40 µg/ml of 5-bromo-2-deoxy uridine and incubated at 34°C. At maximum CPE (7 days post inoculation), the culture was harvested (frozen at -40°C and then thawed at 37°C), dialyzed overnight at 4°C against PBS, titrated for EHV-1 infectivity in ED cells at 37°C and subsequently cloned at 34°C in ED cells grown in 96-well microtitration plates. Wells with single EHV-1 focus were identified, allowed to grow to maximum CPE and then a small (20 µl out of 200 µl total) sample used for phenotyping at permissive (34°C) and restrictive (39°C) temperatures using ED cells. Temperature sensitive clones were further passaged in Bovine Kidney cells, strain JCK (Jay's Calf Kidney- Intervet's strain) to produce the master and working seeds.

2. Temperature sensitive phenotype of EHV-1 strain TS C147

EHV-1 TS C147 strain at Master Seed Virus (MSV)+1° level was titrated in parallel in Bovine Embryo Lung (strain BEL₂₆ – Intervet's strain), Bovine Kidney (strain Jay's Calf Kidney, JCK – Intervet's strain), Equine Dermal (ED) cells, Equine Dermal Clone W48 C10 (ED W48 C10 – Intervet's strain), and Equine Dermal Clone W7 C5 (ED W7 C5 – Intervet's strain) at 37°C and 38.5°C. Virus at MSV+1° passage level failed to grow at 38.5°C. Results are given in Table 1.

3. EHV-1 strain TS C147 has EHV-4 like characteristics

A parameter for the differentiation between EHV-1 and EHV-4 is their ability to replicate in rabbit kidney (RK13) cells. EHV-1 strains replicate well in RK13 cells but the cells are refractory to EHV-4 strains. EHV-1 strain TS C147 at MSV+1° level, its wild type parent EHV-1 strain, EHV-1 strain deficient in immediate early gene (EHV-1 IE), pathogenic EHV-1 strain CHLi and a field EHV-4 isolate were titrated in parallel at 37°C in RK13 cells and Equine dermal (ED) cells. Results given in Table 2 show that the 4 EHV-1 strains, including strain TS C147 and

EHV-4 strain replicated in ED cells but EHV-1 strain TS C147 and EHV-4 strain did not grow in RK13 cells.

TABLE 1: Relative titers of EHV-1 strain TS C147 at 37°and 38.5° in various bovine and equine cell strains

Titers (log ₁₀ TCID ₅₀ /ml) at 37°C and 38.5°C in various bovine and equine cell types		Virus Passage level TSC147 MSV+1°
BEL ₂₆ :	37°C	5.2
	38.5°C	<1.1
JCK:	37°C	5.4
	38.5°C	<1.1
ED:	37°C	5.4
	38.5°C	<1.1
ED W48 C10:	37°C	5.7
	38.5°C	<1.1
ED W7 C5:	37°C	5.7
	38.5°C	<1.1

5 a) Titers after 5 days' incubation; Titters given as <1.1 log₁₀ TCID₅₀/ml represent no EHV-1 foci detected in 4 x 200µl of the lowest (10⁻¹) dilution of the virus tested in the titration

10

Table 2: Ability of rabbit kidney cells to support replication of EHV-1 strain TS C147

Virus	Relative titer (log ₁₀ TCID ₅₀ /ml) at 37°C in RK13 & ED cells	
	<u>RK13 cells</u>	<u>ED cells</u>
EHV-1 TS C147 MSV+1°	<1.1 ^a	5.7
EHV-1 040	5.7	5.7
EHV-1 IE ⁻	6.0	6.2
EHV-1 CHLi	5.7	6.0
EHV-4	<1.1	3.7

15

- a = Titers given as $<1 \log_{10}$ TCID₅₀/ml represent no EHV-1 CPE detected in 4 x 200µl of the lowest dilution (10^{-1}) in the titration.

4. Clinical and virological protection of conventional ponies against infections by EHV-1 and EHV-4

Of 29 conventional ponies with low or no EHV-1 neutralizing (VN) antibody, 15 were vaccinated intranasally (IN) with a dose of $5.3 \log_{10}$ TCID₅₀ of strain EHV-1 TS C147 while 14 ponies were left unvaccinated to serve as unvaccinated control. About a month following a single IN vaccination, 8 vaccinated and 8 unvaccinated (control) ponies were challenged IN with a field strain of EHV-1 while a group of 7 EHV-1 vaccinated and 6 control animals were challenged IN with a recent field isolate of EHV-4. Following vaccination and challenge, animals were monitored for clinical reactions, virus shedding in nasal mucus, infected leukocytes (viraemia) and EHV-1 neutralizing antibody.

Vaccine virus grew to low titers (nasal mucus peak titers 1.5 to $3.0 \log_{10}$ TCID₅₀/ml) for 1 to 8 days in 11/15 ponies and also resulted in low-grade (just detectable) leukocyte viraemia for 1 to 4 days in 7 of 15 animals. However all 15 ponies seroconverted. In contrast no EHV-1 was recovered from the nasal mucus or the blood of 14 control ponies monitored daily for 10 or 14 days respectively and the animals remained seronegative to EHV-1 until after challenge infection. A similar level of pyrexia was seen in 10 animals in each of the two (vaccinated and control) groups. These findings are summarized in Table 3.

Following intranasal EHV-1 challenge, there was a significant reduction in virus excreted in nasal mucus by the vaccinated ponies relative to that recovered from the control animals. Similarly a single vaccination prevented leukocyte viraemia in 7 of 8 ponies while one pony was just virus positive for 1 day. In contrast, however all 8 unvaccinated ponies became viraemic, 7 for 3 to 4 days and 1 for 1 day. All 8 control ponies became moderately to highly febrile for 1 to 6 days but all 8 vaccinated animals remained normal. None of the 8 vaccinated animals responded anamnesticly to the challenge infection while all 8 control animals responded with a significant EHV-1 neutralizing antibody. These findings are summarized in Table 4.

Following intranasal EHV-4 challenge, virus was recovered from the nasal mucus of one of 7 vaccinated ponies on one occasion but all 6 control ponies excreted virus at a significantly higher titer for 2 to 3 days, with one exception. None of the 7 EHV-1 vaccinated ponies became viraemic in contrast to 3 of 6 control ponies for 1-3 days. EHV-4 challenge infection resulted in pyrexia in 3 of 6 control animals for 2 to 3 days but none of the 7 vaccinated ponies were affected. There was a slight (15 to 20 expirations/minute) increase in respiration rate in 4 of 7 vaccinated and 5 of 6 control animals for 1 to 3 and 2 to 6 days respectively. These findings are summarized in Table 5.

TABLE 3: Results after vaccination

Result – No +ve/No Total (Peak activity range & duration)

Parameter	Vaccinated	Control
Virus shedding in mucus	11/15 (1.5-3.0 log ₁₀ TCID ₅₀ /ml, 1-8 days)	0/14
Leukocyte viraemia	7/15 (low grade, 1-4 days)	0/14
Seroconversion	15/15	0/14
Pyrexia (=38.5°C) (Between days 1-10)	10/15 (38.5-39.3, 1-3 days)	10/14 (38.5-38.8, 1-3 days)

TABLE 4: After EHV-1 challenge

Result – No +ve/No Total (Peak activity range & duration)

Parameter	Vaccinated	Control
Virus shedding in mucus	5/8 (1.5 log ₁₀ /ml, 1-2 days)	8/8 (2.2-3.4 log ₁₀ TCID ₅₀ /ml, 4-6 days)
Leukocyte viraemia	1/8 (low grade, 1 day)	8/8 (3-4 days; 1 day for 1 animal)
EHV-1 (VN) antibody rise)	0/8 (=4-fold rise)	8/8
Pyrexia	0/8	8/8 (38.9-41.0, 1-6 days)
Respiration	3/8 (15-20 expirations/min, 1 day)	2/8 (15-20 expirations/min 1 day)

febrile for 1 to 5 days, 3 also developed paresis accompanied by severe jaundice and disintegration of the cervical plug in 2 mares with signs of foetal ejection. One of the two animals died while the 2nd had to be euthanased *in extremis*. Both animals carried dead foals. Three further mares aborted.

5 Foetal tissues from all 5 fetuses were EHV-1 positive. In contrast however all 6 vaccinated mares foaled normally. The only clinical reaction observed in vaccinated mares was transient (1 day) pyrexia in one of 6 mares. The control mare which foaled normally had in fact seroconverted just prior to challenge. These findings are summarised in Table 7.

10

TABLE 6: Results after vaccination.

Result – No +ve/No Total (Peak activity range & duration)

Parameter	Vaccinated (group 1)	Control (group 2) ^a
Virus shedding in mucus	0/6	Not monitored ^a
Leukocyte viraemia	5/6 (low, 1-3 days)	0/6
Pyrexia	1/6 (1 day)	Not monitored ^a
Seroconversion	6/6 (Month onwards after vaccination)	1*/6 (About 3 months after vaccination)

15 a = Not monitored because animals kept in isolation away from the vaccinated group

TABLE 7: Results after challenge

Result – No +ve/No Total (Peak activity range & duration)

Parameter	Vaccinated (group 1)	Control (group 2)
Virus shedding in mucus	2/6 (1.5-1.7 log ₁₀ TCID ₅₀ /ml, 1-2 days)	5/6 (2.4-3.7 log ₁₀ TCID ₅₀ / ml, 1-6 days)
Leukocyte viraemia	0/6	5/6
EHV-1 VN antibody rise	0/6	5/6†
Pyrexia	1/6 (1 day)	5/6 (1-5 days)
Paresis	0/6	3/6 (Terminal in 2 mares)
Jaundice	0/6	2/6
Death	0/6	2/6 (1 died, 1 euthanased <i>in extremis</i> with severe paralysis jaundice and rapid decrease in body temperature)
Abortion	0/6	5/6

5 † Control mare was seronegative in 3-monthly bleeds after vaccination of group 1 mares but seroconverted prior to challenge.

6. Safety of EHV-1 TS C147 in pregnant mares

10 Four mares at about 9 months of gestation (critical stage for EHV-1 abortions) were inoculated by the natural route with 10 times the protective dose and monitored for abortions. Results given in Table 8 show that all 4 mares seroconverted to EHV-1, one of 4 mares became transiently viraemic but foaled normally. Three of 4 foals were EHV-1 VN antibody negative in blood samples collected before suckling the respective dam while one foal was VN antibody positive due to colostrum intake (born between monitoring intervals in the early hours). These results are summarised in Table 8.

15

TABLE 8: An overdose safety for pregnant mares at the critical stage of gestation for EHV-1 abortions

Mare No	Shedding in nasal mucus	Viraemia	VN antibody to EHV-1 At dosing & 3 wks later		Foaling & antibody ^a	
13	c	-ve	<2.0	3.5	Normal	<2.0
14A	c	+ve (3 days)	<2.0	6.0	Normal	4.0 ^b
15	c	-ve	<2.0	5.0	Normal	<2.0
16	c	-ve	<2.0	6.0	Normal	<2.0

a = EHV-1 neutralizing antibody at birth

b = Born between monitoring intervals in early hours and the foal was bled at least 3 hours after birth

c = Pending, ie to be done

5

7. No transmission of EHV-1 TS C147 between target species.

10 A back-passage study was performed in EHV-naïve (all types) weaned foals (specific pathogen free, SPF foals).

15 Two SPF foals were inoculated intranasally (IN) with 10 times protective dose of EHV-1 strain TS C147 at Master Seed Virus+1° passage level and virus positive nasal mucus collected over several days used to similarly infect a further pair of SPF foals. After IN inoculation, foals were monitored for (i) virus shedding in nasal mucus, (ii) clinical reactions and (iii) seroconversion to EHV-1.

20 Foals given EHV-1 strain TS C147 at MSV+1° level excreted virus in nasal mucus and seroconverted. However, a pool of virus positive nasal mucus samples failed to infect a further pair of EHV-naïve foals as judged from the failure to recover EHV-1 from their nasal mucus and the absence of seroconversion to EHV-1. The results were confirmed by repeating the study with a further 4 SPF foals, 2 inoculated with MSV+1° followed by a further 2 given virus positive nasal mucus from the first two foals. Results are summarised in Tables 9 and 10.

TABLE 9: Backpassage of EHV-1 strain TS C147 in EHV-naïve foals

- (i) 5 **PASSAGE ONE:** Foals 1 & 2 inoculated intranasally with EHV-1 TS C147
(10x protective dose) at MSV+1° level.

Parameter	Result (+/-, range & duration)
Virus shedding in nasal mucus	2/2 (1.7-5.0 log ₁₀ TCID ₅₀ /ml, 5-6 days)
Seroconversion to EHV-1	2/2 (bleed 2 weeks after inoculation & by CF test)

- 10
(ii) **PASSAGE TWO:** Foals 5 & 6 inoculated intranasally with virus positive
nasal mucus from foals 1 & 2

Parameter	Result (+/-, range & duration)
Virus shedding in nasal mucus	0/2
Seroconversion	0/2

TABLE 10: Backpassage of EHV-1 strain TS C147 in EHV-naïve foals

- (i) **PASSAGE ONE:** Foals 7 & 8 inoculated intranasally with EHV-1 TS C147
 5 (10x protective dose) at MSV+1° level.

Parameter	Result (+/-, range & duration)
Virus shedding in nasal mucus	2/2 (1.5-3.7 log ₁₀ TCID ₅₀ /ml, 4-8 days)
Seroconversion to EHV-1	2/2 (bleed 2 weeks after inoculation & by CF test)

- (ii) 10 **PASSAGE TWO:** Foals 9 & 10 inoculated intranasally with virus positive
 nasal mucus from foals 7 & 8

Parameter	Result (+/-, range & duration)
Virus shedding in nasal mucus	0/2
Seroconversion to EHV-1	0/2

1. A temperature-sensitive (Ts) mutant of Equine abortion virus (EHV-1) characterized in that the virus is the EHV1 Ts-mutant deposited at the ECACC under Accession No. V99061001, or progeny thereof.
2. Pharmaceutical composition comprising a temperature-sensitive mutant according to claim 1 and a pharmaceutical acceptable vehicle or carrier.
3. Vaccine for the prevention and/or treatment of EHV-1 infections in equidae comprising a temperature-sensitive mutant virus according to claim 1 and a pharmaceutically acceptable carrier or diluent.
4. Use of a temperature sensitive mutant according to claim 1 in the manufacture of a vaccine for the prevention and/or treatment of EHV-1 infections.
5. A method for the immunization of an animal against EHV-1 infection comprising administering to said animal a vaccine according to claim 4.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 March 2001 (15.03.2001)

PCT

(10) International Publication Number
WO 01/17553 A1

(51) International Patent Classification⁷: A61K 39/245, 39/27, C12N 7/00, 7/06

(21) International Application Number: PCT/EP00/08944

(22) International Filing Date:
11 September 2000 (11.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
99202933.0 10 September 1999 (10.09.1999) EP

(71) Applicant (for all designated States except US): AKZO NOBEL N.V. [NL/NL]; Velperweg 76, NL-6824 BM Arnhem (NL).

(72) Inventor; and

(75) Inventor/Applicant (for US only): PATEL, Jay, R. [GB/GB]; Highfield Cottage, 51 Westdrive, Caldecote, Cambridge CB3 7NY (GB).

(74) Agent: OGILVIE-EMANUELSON, C., M.; P.O. Box 20, NL-5340 BH Oss (NL).

(81) Designated States (*national*): AE, AG, AL, AU, BA, BB, BG, BR, BZ, CA, CN, CR, CU, CZ, DM, DZ, EE, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, MZ, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.
- With (an) indication(s) in relation to deposited biological material furnished under Rule 13bis separately from the description.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: EQUINE HERPES VIRUS TEMPERATURE SENSITIVE MUTANT AND LIVE VACCINE THEREOF

(57) Abstract: The present invention relates to an equine abortion virus (EHV-1) mutant which is temperature sensitive at the body temperature of the host animal, more specifically at a temperature of 38.5 °C or higher. The temperature sensitive mutant can be used in vaccination to protect susceptible animals against EHV-1 infection. The invention furthermore relates to live vaccines derived from said mutant.



WO 01/17553 A1

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original first and joint inventor (if plural names are listed below) of the subject matter for which a patent is sought on the invention entitled Equine herpes virus temperature sensitive mutant and live vaccine thereof..... the specification of which

[CHECK ONE]

[] is attached hereto

[] was filed on _____ as Application Serial No. _____ and was amended on _____

[if applicable]

[X] as filed under the Patent Cooperation Treaty on 11-09-2000 Serial No PCT/EP00/08944, The United States of America being designated.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Patent and Trademark Office all information known to me to be material to patentability as defined Title 37, Code of Federal Regulations Section 1.56(a)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign applications(s) for patent or inventor's certificate having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)			Priority claimed	
<u>99202933.0</u>	<u>Europe</u>	<u>10-09-1999</u>	<u>V</u> Yes	<u> </u> No
Number	Country	Day/Month/Year filed	<u> </u> Yes	<u> </u> No
<u> </u>	<u> </u>	<u> </u>	<u> </u> Yes	<u> </u> No
Number	Country	Day/Month/Year filed	<u> </u> Yes	<u> </u> No
<u> </u>	<u> </u>	<u> </u>	<u> </u> Yes	<u> </u> No
Number	Country	Day/Month/Year filed	<u> </u> Yes	<u> </u> No

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose to the patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application.

(U.S. Serial No.) (Filing date) (Status-patented, pending, abandoned)

(U.S. Serial No. _____) (Filing date) (Status-patented, pending, abandoned)

And I hereby appoint as principal attorney, William M. Blackstone, Registration No. 29,772, as patent agent.

Please address all communications to:

William M. Blackstone
AKZO NOBEL N.V.
1300 Piccard Drive #206
Rockville, MD 20850-4373

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor Jay R. Patel
 Inventor's signature Jay Patel 14/2/02
 Date

GBX
 Citizenship British
 Residence and P.O. Address Highfield Cottage, 51 Westdrive, Caldecote, Cambridge, U.K.

Full name of second joint inventor _____
 Inventor's signature _____
 Date

Citizenship _____
 Residence and P.O. Address _____

Full name of third joint inventor _____
 Inventor's signature _____
 Date

Citizenship _____
 Residence and P.O. Address _____

Full name of fourth joint inventor _____
 Inventor's signature _____
 Date

Citizenship _____
 Residence and P.O. Address _____